# Author Index


Akera, T., see Ishizuka, N. (1069) 259
Askari, A., Xie, Z., Wang, Y., Periyasamy, S. and Huang, W.-H.
A second messenger role for monoacylglycerols is suggested by their activating effects on the sodium pump (1069) 127
Azzarolo, A.M., Ritchie, G. and Quamme, G.
Inhibition of sodium-phosphate cotransport in renal brush-border membranes with the stilbenedisulfonate, $H_2$-DIDS (1069) 70

Bannai, S., see Sato, H. (1069) 46
Bear, C.E.
A $K^+$-selective channel in the colonic carcinoma cell line: CaCo-2 is activated with membrane stretch (1069) 267
Bellemare, F., see Maenz, D.D. (1069) 250
Bernhardt, I., see Ihrig, I. (1069) 171
Berteloot, A., see Maenz, D.D. (1069) 250
Biondi, A.C., Féliz, M.R. and Disalvo, E.A.
Surface changes induced by osmotic stress and its influence on the glycerol permeability in lipid bilayers (1069) 5
Brandenburg, K. and Seydel, U.
A comment on the preparation of liposomes from and on the $\beta \leftrightarrow \alpha$ acyl chain melting behaviour of rough mutant lipopolysaccharide (1069) 1
Brass, A., see Lowe, A.G. (1069) 223
Buchet, R., Jona, I. and Martonosi, A.
$Ca^{2+}$ release from caged-$Ca^{2+}$ alters the FTIR spectrum of sarcoplasmic reticulum (1069) 209

Caride, A.J., Penniston, J.T. and Rossi, J.P.F.C.
The calmodulin-binding domain as an endogenous inhibitor of the *p*-nitrophenylphosphatase activity of the $Ca^{2+}$ pump from human red cells (1069) 94
Carrasquer, G., Wu, X., Rehm, W.S., Schwartz, M. and Dinno, M.A.
Effect of amphotericin B and $Cl^-$ removal on basolateral membrane $K^+$ conductance in frog corneal epithelium (1069) 181
Chazotte, B., see Gupte, S.S. (1069) 131
Chenu, C., see Maenz, D.D. (1069) 250
Claret, M., see Gascard, P. (1069) 27
Cooper, P. and Meddings, J.B.
Erythrocyte membrane fluidity in malignant hyperthermia (1069) 151
Crabbé, J., see Granitzer, M. (1069) 87
Critchley, A.J., see Lowe, A.G. (1069) 223

Daum, G., see Lafer, G. (1069) 139
De Kruijff, B., see Vogt, T.C.B. (1069) 157
Demel, R.A., see Vogt, T.C.B. (1069) 157
Desir, G.V., see Ellison, D.H. (1069) 241
Dinno, M.A., see Carrasquer, G. (1069) 181
Disalvo, E.A., see Biondi, A.C. (1069) 5
Duncan, T.M., see Sandermann, Jr., H. (1069) 235

Eibl, H., see Rustenbeck, I. (1069) 99
Ellison, D.H., Morrisey, J. and Desir, G.V.
Solubilization and partial purification of the thiazide diuretic receptor from rabbit renal cortex (1069) 241
Erdmann, A., see Ihrig, I. (1069) 171

Féliz, M.R., see Biondi, A.C. (1069) 5
Fincham, D.A., Wolowyk, M.W. and Young, J.D.
Nucleoside uptake by red blood cells from a primitive vertebrate, the pacific hagfish (*Eptatretus stouti*), is mediated by a nitrobenzylthioinosine-insensitive transport system (1069) 123
Flamigni, A., see Mastrocola, T. (1069) 201
Fraser, D.M., Van Gorkom, L.C.M. and Watts, A.
Partitioning behaviour of 1-hexanol into lipid membranes as studied by deuterium NMR spectroscopy (1069) 53
Friede, M.H. and Von Holt, C.
Ricin B-chain promotes the internalisation of liposomal contents into rat hepatoma cells (1069) 273
Friedrich, F., see Weiss, H. (1069) 165
Friend, D.S., see Huang, S.K. (1069) 117
Fukami, K., see Gascard, P. (1069) 27
Fukushima, Y., see Ishizuka, N. (1069) 259

Ganapathy, V., see Tiruppathi, C. (1069) 14
Gascard, P., Tran, D., Sauvage, M., Sulpice, J.-C., Fukami, K., Takenawa, T., Claret, M. and Giraud, F.
Asymmetric distribution of phosphoinositides and phosphatidic acid in the human erythrocyte membrane (1069) 27
Gerding, A., see Wolters, H. (1069) 61
Giraud, F., see Gascard, P. (1069) 27
Granitzer, M., Nagel, W. and Crabbé, J.
Voltage dependent membrane conductances in cultured renal distal cells (1069) 87
Gross, R.W., see Han, X. (1069) 37
Gruszecki, W.I. and Sielewiesiuk, J.
Galactolipid multibilayers modified with xanthophylls: orientational and diffractometric studies (1069) 21
Gupte, S.S., Chazotte, B., Leesnitzer, M.A. and Hackenbrock, C.R.
Two-dimensional diffusion of $F_1F_0$-ATP synthase and ADP/ATP translocator. Testing a hypothesis for ATP synthesis in the mitochondrial inner membrane (1069) 131

Hackenbrock, C.R., see Gupte, S.S. (1069) 131
Han, X. and Gross, R.W.
Alterations in membrane dynamics elicited by amphiphilic compounds are augmented in plasmenylcholine bilayers (1069) 37
Hardonk, M.J., see Wolters, H. (1069) 61
Hatta, I., see Takahashi, H. (1069) 229
Hessel, E., see Ihrig, I. (1069) 171
Hirata, M., see Kimura, Y. (1069) 218
Hong, K., see Huang, S.K. (1069) 117
Huang, S.K., Hong, K., Lee, K.-D., Papahadjopoulos, D. and Friend, D.S.
Light microscopic localization of silver-enhanced liposome-entrapped colloidal gold in mouse tissues (1069) 117
Huang, W.-H., see Askari, A. (1069) 127

Ihrig, I., Hessel, E., Seidler, G., Erdmann, A. and Bernhardt, I.
Investigation of monovalent cation influxes of diamide-treated human erythrocytes in solutions of different ionic strength (1069) 171

Indiveri, C., Tonazzi, A. and Palmieri, F.
Characterization of the unidirectional transport of carnitine catalyzed by the reconstituted carnitine carrier from rat liver mitochondria (1069) 110
Ishii, T., see Sato, H. (1069) 46
Ishizuka, N., Fukushima, Y., Urayama, O. and Akera, T.
$Na^+,K^+$-ATPase inhibition by an endogenous peptide, SPAI-1, isolated from porcine duodenum (1069) 259

Jona, I., see Buchet, R. (1069) 209

Kagan, B.L.
Inositol 1,4,5-trisphosphate directly opens diphtheria toxin channels (1069) 145
Kaisheva, E., see Stankowski, S. (1069) 77
Kanematsu, T., see Kimura, Y. (1069) 218
Kato, S., see Takahashi, H. (1069) 229
Killian, J.A., see Vogt, T.C.B. (1069) 157
Kimura, Y., Kanematsu, T., Watanabe, Y., Ozaki, S., Koga, T. and Hirata, M.
Synthetic inositol 1,3,4,5-tetrakisphosphate analogs and their effect on the binding to microsomal fraction of rat cerebellum (1069) 218
Koga, T., see Kimura, Y. (1069) 218
Kuipers, F., see Wolters, H. (1069) 61

Lafer, G., Szolderits, G., Paltauf, F. and Daum, G.
Isolation of a phosphatidylserine transfer protein from yeast cytosol (1069) 139
Lang, F., see Weiss, H. (1069) 165
Lee, K.-D., see Huang, S.K. (1069) 117
Leesnitzer, M.A., see Gupte, S.S. (1069) 131
Leibach, F.H., see Tiruppathi, C. (1069) 14
Lenzen, S., see Rustenbeck, I. (1069) 99
Lowe, A.G., Critchley, A.J. and Brass, A.
Inhibition of glucose transport in human erythrocytes by ubiquinone $Q_0$ (1069) 223

Maenz, D.D., Chenu, C., Bellemare, F. and Berteloot, A.
Improved stability of rabbit and rat intestinal brush border membrane vesicles using phospholipase inhibitors (1069) 250
Martonosi, A., see Buchet, R. (1069) 209
Mastrocola, T., Flamigni, A. and Rugolo, M.
Hypotonic shock activated $Cl^-$ and $K^+$ pathways in human fibroblasts (1069) 201
Matuoka, S., see Takahashi, H. (1069) 229
Meddings, J.B., see Cooper, P. (1069) 151
Metlička, R., Nešpůrková, L., Pilař, J., Ryba, O. and Rybová, R.
The plasmalemma redox system of a fresh-water alga and membrane electrical parameters (1069) 175
Morrisey, J., see Ellison, D.H. (1069) 241

Nagel, W., see Granitzer, M. (1069) 87
Nešpůrková, L., see Metlička, R. (1069) 175

Ohki, K., see Takahashi, H. (1069) 229
Ozaki, S., see Kimura, Y. (1069) 218

Palmieri, F., see Indiveri, C. (1069) 110
Paltauf, F., see Lafer, G. (1069) 139
Papahadjopoulos, D., see Huang, S.K. (1069) 117
Paulmichl, M., see Weiss, H. (1069) 165
Pawlak, M., see Stankowski, S. (1069) 77
Penniston, J.T., see Caride, A.J. (1069) 94
Periyasamy, S., see Askari, A. (1069) 127
Pilař, J., see Metlička, R. (1069) 175
Pratap, P.R., Robinson, J.D. and Steinberg, M.I.
The reaction sequence of the $Na^+/K^+$-ATPase: rapid kinetic measurements distinguish between alternative schemes (1069) 288
Pratap, P.R., see Robinson, J.D. (1069) 281

Quamme, G., see Azzarolo, A.M. (1069) 70

Rehm, W.S., see Carrasquer, G. (1069) 181
Ritchie, G., see Azzarolo, A.M. (1069) 70
Robert, C.H., see Stankowski, S. (1069) 77
Robinson, J.D. and Pratap, P.R.
Effects of choline on $Na^+$- and $K^+$-interactions with the $Na^+/K^+$-ATPase (1069) 281
Robinson, J.D., see Pratap, P.R. (1069) 288
Rossi, J.P.F.C., see Caride, A.J. (1069) 94
Rugolo, M., see Mastrocola, T. (1069) 201
Rustenbeck, I., Eibl, H. and Lenzen, S.
Structural requirements of lysophospholipid-regulated mitochondrial $Ca^{2+}$ transport (1069) 99
Ryba, O., see Metlička, R. (1069) 175
Rybová, R., see Metlička, R. (1069) 175

Sandermann, Jr., H. and Duncan, T.M.
Lipid-dependent membrane enzymes. Kinetic modelling of the activation of protein kinase C by phosphatidylserine (1069) 235
Sato, H., Ishii, T., Sugita, Y. and Bannai, S.
Induction of cationic amino acid transport activity in mouse peritoneal macrophages by lipopolysaccharide (1069) 46
Sauvage, M., see Gascard, P. (1069) 27
Schwartz, M., see Carrasquer, G. (1069) 181
Schwarz, G., see Stankowski, S. (1069) 77
Seidler, G., see Ihrig, I. (1069) 171
Seydel, U., see Brandenburg, K. (1069) 1
Sielewiesiuk, J., see Gruszecki, W.I. (1069) 21
Slooff, M.J.H., see Wolters, H. (1069) 61
Spiering, M., see Wolters, H. (1069) 61
Stankowski, S., Pawlak, M., Kaisheva, E., Robert, C.H. and Schwarz, G.
A combined study of aggregation, membrane affinity and pore activity of natural and modified melittin (1069) 77
Steinberg, M.I., see Pratap, P.R. (1069) 288
Sugita, Y., see Sato, H. (1069) 46
Sulpice, J.-C., see Gascard, P. (1069) 27
Suszkiw, J.B., see Tomsig, J.L. (1069) 197
Szolderits, G., see Lafer, G. (1069) 139

Takahashi, H., Matuoka, S., Kato, S., Ohki, K. and Hatta, I.
Electrostatic interaction of poly(L-lysine) with dipalmitoylphosphatidic acid studied by X-ray diffraction (1069) 229
Takenawa, T., see Gascard, P. (1069) 27
Tiruppathi, C., Ganapathy, V. and Leibach, F.H.
Transport of peptides in renal brush border membrane vesicles. Suitability of $^{125}$I-labelled tyrosyl peptides as substrates (1069) 14
Tomsig, J.L. and Suszkiw, J.B.
Permeation of $Pb^{2+}$ through calcium channels: fura-2 measurements of voltage- and dihydropyridine-sensitive $Pb^{2+}$ entry in isolated bovine chromaffin cells (1069) 197
Tonazzi, A., see Indiveri, C. (1069) 110
Tran, D., see Gascard, P. (1069) 27

Urayama, O., see Ishizuka, N. (1069) 259

Van Gorkom, L.C.M., see Fraser, D.M. (1069) 53
Vogt, T.C.B., Killian, J.A., Demel, R.A. and De Kruijff, B.
Synthesis of acylated gramicidins and the influence of acylation on the interfacial properties and conformational behavior of gramicidin A (1069) 157
Von Holt, C., see Friede, M.H. (1069) 273
Vonk, R.J., see Wolters, H. (1069) 61

Wang, K. and Wondergem, R.
Effects of hyperosmotic medium on hepatocyte volume, transmembrane potential and intracellular $K^+$ activity (1069) 187
Wang, Y., see Askari, A. (1069) 127
Watanabe, Y., see Kimura, Y. (1069) 218
Watts, A., see Fraser, D.M. (1069) 53
Weiss, H., Friedrich, F., Paulmichl, M., Wöll, E. and Lang, F.
Effect of BHT 920 on calcium-activated $K^+$ channels in renal epitheloid MDCK cells (1069) 165
Wöll, E., see Weiss, H. (1069) 165
Wolowyk, M.W., see Fincham, D.A. (1069) 123
Wolters, H., Spiering, M., Gerding, A., Slooff, M.J.H., Kuipers, F., Hardonk, M.J. and Vonk, R.J.
Isolation and characterization of canalicular and basolateral plasma membrane fractions from human liver (1069) 61
Wondergem, R., see Wang, K. (1069) 187
Wu, X., see Carrasquer, G. (1069) 181

Xie, Z., see Askari, A. (1069) 127

Young, J.D., see Fincham, D.A. (1069) 123